

aspirating a sample;
mixing a sample;
dispensing into a sample;
controlling the temperature of a function;
removing material from a sample;
separating a sample; and
removing and separating a sample;
wherein each of the functions except centrifuging is performed external to a centrifuge.

6. A computer system for configuring a machine to automatically perform a method of isolating nucleic acids, the computer system comprising:
- a computer;
 - a computer readable medium comprising machine readable instructions for causing the computer to output a command series to an automated nucleic acid isolation machine for control of the functions of nucleic acids isolation process;
 - wherein the computer readable medium comprises:
 - a software module comprising:
 - a centrifugation sub-module for issuing commands initiating centrifuging of a sample for a centrifuge time and a centrifuge speed;
 - an aspiration sub-module for issuing commands initiating aspirating a sample to remove a volume of fluid from a sample;
 - a mixing sub-module for issuing commands initiating mixing a sample;
 - a dispensing module for issuing commands initiating dispensing into a sample an amount of a specific reagent;
 - a temperature control module for issuing commands to control the temperature of a function;
 - a removal module for issuing commands to remove material from a sample;

a separation module for issuing commands to separate a sample into components; and
a combination removal and separation module for issuing commands to control separating and removing a sample; and
wherein each sub-module except the centrifugation sub-module is configured to control operation external to a centrifuge.

C2
Cand

Please cancel ~~claim~~ 7.

C3

9. A control module for controlling the operation of an automated nucleic acids isolation apparatus, the module comprising:

a processor; and

a program module comprising a set of machine readable instructions for issuing commands to the automated nucleic acids isolation apparatus to perform a series of steps, comprising:

centrifuging a sample;

aspirating a sample;

mixing a sample;

adding a reagent to the sample;

controlling the temperature of an isolation function;

removing material from a sample;

separating a sample; and

separating and removing a sample;

wherein each of the functions except centrifuging is performed external to a centrifuge.

C4

14. A computer control module for an automated nucleic acids isolation apparatus, the control module comprising:

a plurality of sub-modules, each sub-module comprising machine readable instructions for creating a command to the nucleic acids isolation apparatus to perform a process step of the nucleic acids isolation process; and
an output link for communicating the commands to the nucleic acids isolation apparatus;

wherein the plurality of sub-modules comprises:

a centrifuge sub-module for issuing commands initiating centrifuging of a sample for a centrifuge time and a centrifuge speed;

an aspirate sub-module for issuing commands initiating aspirating a sample to remove a volume of fluid from a sample;

a mixing sub-module for issuing commands initiating mixing a sample;

a dispensing module for issuing commands initiating dispensing into a sample an amount of a specific reagent;

a temperature control module for issuing commands to control the temperature of a function;

a removal module for issuing commands to remove material from a sample;

a separation module for issuing commands to separate a sample into components; and

a combination removal and separation module for issuing commands to control separating and removing a sample;

wherein each sub-module except the centrifugation sub-module is configured to control operation external to a centrifuge.

CH
com
Please ~~cancel~~ claim 15.